

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	468	73/119R	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:51
L2	5	1 and (compress\$6) near3 (stroke).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:53
L3	39	1 and (compress\$6) near3 (stroke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:53
L4	37	3 and (gauge sens\$5 detect\$5 measur\$5 transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:53
L5	35	4 and (control\$5 ECU CPU microprocessor computer microcomputer processor processing )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:53
L6	28	5 and (compar\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:54
L7	21	6 and (circuit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:54
L8	9	7 and ( display\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(detect\$5 sens\$5 measur\$5 gauge transducer ) near3 (compress\$5) near3 (stroke ) near3 (pressure). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L2	8	1 and (engine ) near3 (cylinder). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:41
L3	8	2 and (control\$8 ECU CPU processor processing computer microprocessor microcomputer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:41
L4	4	3 and (display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:41
L5	2	4 and (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:42
L6	68	(detect\$5 sens\$5 measur\$5 gauge transducer ) near3 (compress\$5) near3 (stroke ) near3 (pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:41
L7	40	6 and (engine ) near3 (cylinder)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:41
L8	36	7 and (control\$8 ECU CPU processor processing computer microprocessor microcomputer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L9	6	8 and (display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L10	4	9 and (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:42
L11	26	"4633707"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:43
L12	17	11 and (stroke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:44

L13	23731	(compress\$) near3 (stroke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L14	3199	(compress\$) near3 (stroke).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L15	964	14 and (detect\$5 sens\$5 measur\$5 gauge transducer ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L16	830	15 and (control\$8 ECU CPU processor processing computer microprocessor microcomputer ). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L17	77	16 and (display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:45
L18	36	17 and (compar\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:46
L19	27	18 and (circuit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:46
L20	0	19 and (cylinder)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:46
L21	19	19 and (cylinder)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16941	compression near3 (sens\$5 detect\$5 transducer measur\$5 gauge )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:29
L2	3616	1 and (cylinder)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:00
L3	2838	2 and (control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:30
L4	1939	3 and (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:31
L5	667	4 and (stroke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:01
L6	385	5 and (circuit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:32
L7	271	6 and (stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:32
L8	252	7 and (pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:03
L9	90	8 and (display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:31
L10	1846	compression near3 (sens\$5 detect\$5 transducer measur\$5 gauge ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:29
L11	95	10 and (engine near3 cylinder). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:29
L12	0	11 and (pressure near3 variance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:29

L13	27	11 and (pressure ) near3 ( change varied variance varies )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:30
L14	18	13 and (compression near3 stroke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:30
L15	18	14 and (ECU CPU computer control\$5 processor microprocessor microcomputer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:31
L16	14	15 and (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:31
L17	6	16 and (display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:31
L18	4	17 and (circuit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:32
L19	4	18 and (stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:32